

INDEX MAPS.

T. 34 N., R. 2 W. 2nd Mer.

	195		195		195		195		194		194	
198	6	219	5	214	4	209	3	206	2	201	1	194
	219		218		213		209		205		201	
197	7	218	8	213	9	209	10	205	11	201	12	194
	218		218		213		208		205		200	
197	18	217	17	212	16	208	15	204	14	200	13	193
	217		217		212		208		204		200	
196	19	216	20	211	21	208	22	203	23	199	24	193
	216		215		211		207		203		199	
196	30	215	29	210	28	207	27	203	26	199	25	193
	214		214		210		206		202		198	
196	31	214	32	210	33	206	34	202	35	198	36	192
	192		192		191		191		191		191	

Meanders 219

T. 35 N., R. 2 W. 2nd Mer.

	230		230		229		229		229		229	
232	6	254	5	247	4	243	3	238	2	235	1	228
	253		252		247		242		238		235	
232	7	252	8	246	9	242	10	238	11	234	12	228
	251		251		246		242		237		234	
231	18	251	17	245	16	241	15	237	14	234	13	228
	250		250		245		241		237		233	
231	19	249	20	245	21	240	22	236	23	233	24	227
	249		249		244		240		236		233	
231	30	248	29	244	28	240	27	236	26	233	25	227
	248		248		243		239		235		232	
231	31	247	32	243	33	239	34	235	35	232	36	227
	226		226		225		225		225		225	

Meanders 254

Township 35 North Range 3 West 2nd Mer. Ind.

C. L. South Boundary, (Var. 5° 35' E.)
 West On the S. side of sec. 36,
 35.00 To a grove of Oak timber
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 10 in. dia. bears N 32° E 60 M.,
 & a W. Oak 28 " " " N 84° W 65 "
 62.00 Entered a wet prairie
 80.00 Set a post cor. to sec. 35 & 36,
 a G. Oak 10 in. dia. bears N 73° E, —
 & no other tree convenient,
 Land flat & mostly wet prairie
 Soil poor & the timber in grove Oak,

West On the S. side of sec. 35,
 40.00 Set the gr. sec. cor. post. in prairie
 water too deep for a mound
 80.00 Set a post cor. to sec. 34 & 35 —
 a G. Oak 7 in. dia. bears N 58° E 189 M.,
 & a Do. 4 " " " N 44° E 174 "
 Land flat & poor wet prairie

West On the south side of sec. 34
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 38 in. dia. bears West 69° 2 M.,
 & a Do. 20 " " " N 84½° W —
 46.00 Entered grove of timber
 60.00 Entered wet prairie
 80.00 Set a post cor. to sec. 33 & 34 from wh.,
 no bearings, water too deep to raise mound
 Land level & poor, & the timber is grove Oak

West On the S. side of sec. 33,
 9.04 To left bank of Kankakee river, no bearing
 water too deep to raise a mound,

T. 35 N. R. 2 W. 3rd Mer. Ind.

6. L.	
14.00	Set a post on the right bank of River, no bearings and mound, water too deep,
40.00	Set the gr. sec. cor. post. in water, too deep to make a mound,
80.00	Set a post cor. to sec. 32 & 33 - water too deep to raise a mound Land flat & poor & no timber,
West	On the S. side of sec. 32,
40.00	Set the gr. sec. cor. post. in water too deep to raise a mound
70.00	Enter Oak land
80.00	Set a post cor. to sec. 31 & 32, a Y. Oak 28 in. diam. bears N 86° E 48 1/2 lbs. dist., & a W. Oak 28 " " " N 27° W 76 " " The first 70 chs. is wet prairie & the Remainder is Oak land, good & soil 2 nd rate & the timber is Oak &
West	On the S. side of sec. 31
28.99	To a W. Oak 10 in. dia. in the line,
29.00	Enter a wet prairie,
40.00	Set the gr. sec. cor. post. from which a W. Oak 10 in. dia. bears East 11 chs. dist., another 11 chs. "
79.46	To the W. boundary, 147 lbs. South of temp. post. Set post. cor. Townships 34 & 35 North Ranges 2 & 3 W, from which are a Spruce Elm. dia. bears S 82° W 413 lbs., & a Y. Oak 18 " " " N 69° W 1025 " Land E. of this 2 nd rate. & the timber is Oak. prairie poor. Jan. 23 rd 1834 - Var. 5° 35' E, Surveyed by Sylvester Sibley, D. S. -

T. 35 N. R. 2 W. 2^d Mer. Ind^a.

61.50 East Boundary, (Var. 5° 35' E.)
 North On the E. side of sec. 36, S. 12 N. 13° W. 36.22
 30.00 Leave marsh on small grove
 40.00 Set the gr. sec. cor. post from wh.
 a W. Oak 15 in dia. bears N 28° W 108 ft.,
 & a P. Oak 18 " " " S 63° W 260 "
 45.00 Enter a marsh again
 80.00 Set a post cor. to sec. 25 & 36 in water
 where raised a mound
 Land is mostly marsh partly covered
 with water, some flags or muskrat homes

North On the E. side of sec. 25
 33.00 To a current of water 25 lbs. wide in W.
 40.00 Set the 2^d sec. cor. post. in prairie
 where raised a mound
 55.50 To a current or channel of water
 75 lbs. wide course W.
 71.00 Leave marsh on an island
 78.13 To a W. Oak 12 in dia. in the line,
 80.00 Set a post cor. to sec. 24 & 25, fr. wh.
 a W. Oak 18 in dia. bears S 44° W 39 ft. dia.
 & a Do. 18 " " " N 75° W 27 " "
 Land is same Island well timbered
 with Oak & some Hickory

North On the E. side of sec. 24
 10.62 To a W. Oak 10 in dia. in the line,
 15.50 Enter a marsh
 40.00 Set the gr. sec. cor. in marsh
 where raised a mound
 80.00 Set a post cor. to sec. 13 & 24
 a P. Oak 15 in dia. bears N 79° W 393 ft.,
 & a Do. 24 " " " S 70° W 258 "

T. 35 N. R. 2 W. 2nd Mer. Ind.

Co. L. Land is all marsh & similar to last,

North On the E. side of sec. 13,
 25.00 Leave the marsh
 40.00 set the gr. rec. cor. post from which
 a W. Oak 10 in dia, bears N $34\frac{1}{2}$ W 110 ft dia,
 & a Do. 24 " " " S $33\frac{1}{2}$ W 181 " "
 50.50 Enter a marsh
 73.00 To Hauhakeh river & set post where
 raised a mound
 80.00 set a post cor. to sec. 12 & 13 in river
 cor. unacceptable marsh not very wet
 The timbered land is level heavy
 & the timber is W. Oak & Hickory
 December 14th 1833. Showed

North On the E. side of sec. 12,
 3.46 Over the river cor. S. W & Enter a
 marsh again & set post where
 raise a mound
 40.00 set the gr. rec. cor. post in marsh
 where raise a mound,
 80.00 set a post cor. to sec. 11 & 12 for wh.
 raise a mound in marsh
 This mile is all marsh & mostly covered
 with one foot of water on surface,

North On the E. side of sec. 11,
 40.00 set the gr. rec. cor. post in marsh
 where raise a mound
 80.30 To the Town. cor. T. 35 & 36 N. R. 1 & 2 W.
 corner in marsh & Raised a mound
 Land is same as last. Dec. 16th 1833
 Surveyed by Clark & Sibley Dep. Sur.

T35 N. R. 2 W. 2nd Mer. 2nd

C. L. North Boundary. (Var 7.58'E)

West On the S. side of sec 36 T36 NR2W
40.00 Set the gr. res. cor. post from which
a Q. Oak 10 in. dia. bears N1W 939 ft. dist,
& a Do. 10 " " " S1W 840 " "

75.00 Enter a willow thicket

80.00 Set a post cor. to sec. 35 & 36 from wh,
a Willow 3 in. dia. bears N44W 11 ft. dist,
& an Aspen 3 " " " N27E 19 " "
Land is level & sec. rate & the timber
is Oak & r. Var. &

West On the S. side of sec. 35 T36 NR2W

5.00 Enter a wet prairie

12.00 " Oak land

40.00 Set the 2nd sec. cor. post from which
a Q. Oak 18 in. dia. bears N68E 40 ft. dist,
& a Do. - " " " N48W 44 " "

80.00 Set a post cor. to sec. 34 & 35 from wh,
a Hickory 10 in. dia. bears N20E 8 ft. dist,
& a Do. 10 " " " N63W 30 " "

Land is rolling & frisk rate & the
timber is Hickory & r. Oak &

North On the E. side of sec. 34 T36 NR2W

16.00 Enter a dry prairie

40.00 Set the gr. res. cor. post from which
no bearing - mound to be raised

80.00 Set post cor. to sec. 33 & 34 in. marks
a mound to be raised,

Land is rolling & frisk rate & some Oak
& Hickory on 1st q. of mile,

North On the E. side of sec. 33 T36 NR2W

T. 35 N. R. 29 W. 2nd Mer, Ind.

C.B.

40.00

Set the 2nd sec. cor. post in mark
mound to be raised -

70.92

Enter Winchell's improvement

80.00

Set a post cor. to sec. 32 & 33,
in field.a Br. Oak 8 in. dia., bears N 83° E W 9.70 ft.,
no other - Land level & 1st rate
dry prairie -

West On the S. side of Section 32 T. 36 N. R. 29 W

10.00

Leave improvement & Enter Oak land

40.00

Set the gr. sec. cor. post from which

a Br. Oak 6 in. dia. bears N 66° W 18 ft. dia.,

& a Do. 7 " " " N 21° W 76 " "

68.94

To a Do. 10 " " in the land,

80.00

Set a post cor. to sec. 31 & 32 from wh.,

a W. Oak 10 in. dia. bears N 48° E 7 ft. dia.,

& a Do. 18 " " " N 59° W 91 ft. "

Land level & good timbered Oak &c

West On the S. side of sec. 31 & 36 N. R. 29 W

21.00

To a Brook 15 ft. wide en. S,

40.00

Set the gr. sec. cor. post from wh.,

a W. Oak 18 in. dia. bears N 77° E 22 ft.,

& a W. Oak 10 " " " N 29° W 26 " dia.,

75.00

Enter a wet prairie

83.50

To a Brook 18 ft. wide en. S. E.,

97.41

To W. boundary or Range line & set post
en. Towns, 36 & 36 N. Range 2 & 3 West

a Hickory 12 in. dia. bears S 9° E 107 ft. dia.,

& a Do. 10 " " " N 83° W 73 " "

Land is rolling & 2nd rate & the timber is
W. & W. Oak. - - - - - May 25th 1834.
Surveyed by Deputee Sibley. D. Sen.

T. 35 N. R. 2 W. 3rd New, Ind.?

C. L.	West Boundary. (Var, 7.46'E.)
North	On the E. side of sec, 36. T. 35 N. R. 3 W
40.00	Set the gr. sec. cov. post. in water too deep to make a mound, Set a post cov. to sec, 25 & 36, water too deep to make a mound Land is flat & poor
North	On the E. side of sections 25. T. 35 N. R. 3 W
40.00	Set the gr. sec. cov. post. in water too deep to raise a mound
80.00	Set a post cov. to secs. 24 & 25 from wh. a W. Oak 22 in. dia. bears S 84° W 48 ft. dia. & & a Do. 9 " " " S 75° W 50 ft. " " Land flat & poor wet prairie -
North	On the E. side of sec, 24. T. 35 N. R. 3 W
23.00	Leave the wet prairie
40.00	Set the gr. sec. cov. post. from which a W. Oak 22 in. dia. bears S 126° 148 ft. dia. & a Do. 10 " " " S 47° W 208 " dia.
80.00	Set a post cov. to secs 13 & 24 from wh. a W. Oak 18 in. dia. bears N 55° W 45 ft. dia. & a Do. 18 " " " S 83° W 73 " " Land rolling soil 1 st rate. North wet prairie
North	On the E. side of section 13 T. 35 N. R. 3 W
23.87	Set a W. Oak 15 in. dia. in the line,
40.00	Set the gr. sec. cov. post. from which a W. Oak 18 in. dia. bears S 74° E 44 ft. dia. & a Do. 18 " " " S 39½° W 106 " "
80.00	Set a post cov. to secs. 12 & 13 from which a W. Oak 12 in. dia. bears N 37° W 258 ft. dia. & an Aspen 3 " " " N 61° W 108 " "

T. 35 N. R. 2 W. 2nd Mer. Ind.

6. S. Land is rolling, soil 1st rate. Oak timber,

North On the E. side of Sec. 12 T. 35 N. R. 2 W,
 40.00 Set the gr. sec. cor. post from which
 a Br. Oak 6 in. dia. bears S 31 E 10 1/4,
 & a G. Oak 20 " " " " S 80 W 36 1/2,
 80.00 Set a post cor. to sec. 14 1/2, from wh. a
 a Br. Oak 12 in. dia. bears N 27 W 18 1/2 M.,
 & a Do. 14 " " " S 37 W 26 1/2 + 1/4,
 Land &c is same as on last mile,

North On the E. side of Sec. 12. T. 35 N. R. 3 W
 19.87 To a Br. Oak 10 in. dia. in the line,
 40.00 Set the gr. sec. cor. post on a
 Br. Oak 6 in. dia. corner tree,
 48.25 To a Do. 10 " " in the line,
 65.06 To cor. Towns, 35 & 36 N. R. 2 & 3 W,
 & corner of Michigan Road land,
 Land level & first rate. Jan. 24th 1834
 Surveyed by Clark & Sibley Dep. Sur.

Subdivisions. T. 35 N. R. 2 W;
 North Between sections 35 & 36
 40.00 Set the gr. sec. cor. post & raise mound
 80.00 Set a post cor. to sec. 25, 26, 35 & 36,
 & raise a mound, Land mark mostly
 & under water third rate,

East On Random, between sections 25 & 36
 79.75 To the Range line 36 M. S. of post,
 Land mark, 3rd rate.

West Correct the line between sec. 25 & 36
 39.87 Set the gr. sec. cor. post from which

T. 35 N. R. 2 W. 2^d New, Ind^a

6. Sept. no bearings & raise a mound
79.75 To the sections corner,

North Between sections 25 & 26,
40.00 set the gr. res. cor. post from which
an Ashw 12 in. dia. bears S 1 W 35 8th,
& a Y. Oak 6 " " " S 69 W 19 7th,
80.00 Set a post cor. to sec. 23, 24, 25 & 26,
& raise a mound. Land all marsh
& 3^d rate

East On Random between sections 24 & 25
64.00 Leave the mark & Enter grove N W 4th E,
79.73 To the E. line of sec. 18th S. of post,
Land mostly marsh 3^d rate & the timber
in grove is W. & Y. Oak. H. Oak & Saparas &c.

West Correct the line between sections 24 & 25
39.86 $\frac{1}{2}$ Set the gr. res. cor. post in marsh & water
& no mound,
79.73 To the sections corner,

North Between sections 23 & 24 -
40.00 Set the gr. res. cor. post from which
a Red Oak 16 in. dia. bears S 83 $\frac{1}{2}$ E 217th,
& a Loc 18 " " " S 63 8 192 "
80.00 To Kankakee river cor. S. S. W, set post
in deep water. on Left bank cor. sec.
13, 14, 23 & 24 - Land all marsh 3^d rate,

East On Random between sections 13 & 24
79.70 To the E. line of sec. 47th S. of post
Land all marsh & 3^d rate Oct 17 - 1834

T. 35 N. R. 3 W. 3rd, New, Ind^a,C. B.
West

Correct the line between Sec. 13 & 14
 39.85 Set gr. sec. cor. post & raise a mound
 79.70 to the sections corner,

North Between sections 13 & 14

28.00 Set a post on left bank of Hankakew R,
 cor. S. S. W. Offset West 7 ch, over River,
 " North 19 " -

40.00 $\frac{1}{4}$ sec. cor in River. $\frac{3}{4}$ " East 7 " to line,
 47.00 Over to Right bank set post & raise mound,
 80.00 Set a post cor. to sec. 11, 12, 13 & 14 from wh,
 a G. Oak 16 in. dia. bears N 36 $\frac{1}{2}$ W 438 M. dist,
 & a Do. 30 " " " N 12 W 493 " "
 Land is all marsh & deep water

East Between sections 12 & 13. (true line)

35.00 To Right bank of Hankakew river,
 Raise a mound cor. of R. S. W.
 Land all marsh 3rd rate & Rem^r of
 line in the river

North Between sections 11 & 12,

50.00 Leave the marsh & enter grove E & W,
 15.14 To a Hickory 18 in. dia. in the line,
 30.72 " " Hickory 10 " " " " "
 35.57 " " G. Oak 10 " " " " "
 40.00 Leave grove & enter marsh cor. S. E & S. W
 & set gr. sec. cor. post from which
 a G. Oak 30 in. dia. bears N 46 $\frac{1}{2}$ W 140 in.
 & a W. Oak 18 " " " N 13 $\frac{1}{2}$ W 140 "
 80.00 Set a post cor. to sec. 1, 2, 11 & 12. Land
 S E is mostly dry thin sandy soil thin water
 & the timber is G. Oak, W. Oak, Hickory, ash, &c.
 N $\frac{1}{2}$ of marsh under water & 3rd rate

335

T. 35 N. R. 2 W. 2nd Mer. Indi.^o -

6.25
East On Random between sections 14 & 12,
79.60 To the E. line of sec. 139th. 100 pds.,
land all marsh. Under water 3rd rate

189 W Correct West between sections 14 & 12
39.80 Set the gr. sec. cor. post in deep water
no mound raised,
79.60 To the section corner,

North Between sections 14 & 12,
40.00 Set the gr. sec. cor. post in water no mound
80.00 To the north boundary. 22 lbs. W. of post,
& set post cor. to sec. 14 & 12. from which
are Aspen 3 in. dia. heavy 173 to 84 lbs,
& a Willow 3 " " " 151 W 8 " dia,
land marsh Under water 3rd rate,
Oct. 18th / 1834 -

North Between sections 34 & 35
40.00 Set the gr. sec. cor. post in marsh
& water & raise a small mound
65.00 Leave the marsh & enter grove E & N
73.90 To a G. Oak 20 in. dia. in the line,
80.00 Set a post cor. to sec. 34 & 35,
a W. Oak 30 in. dia. heavy 127 1/2 to 145 lbs,
& a Do. 18 " " " 123 W 113 " dia,
Land is mostly marsh & 3rd rate & the
timber is G. W. Oak & Hickory, &c, & in
grove scattering short,

East On Random between sections 26 & 35
10.00 Leave the grove & enter marsh N & W
80.62 To the E. line of sec. at post,
Land mostly marsh & 3rd rate & the

T. 35 N. R. 2 W, 2nd Mer. Ind.

C. L.	is W. $\frac{1}{4}$ Oak. Hickory scattering & scrubby
West	Correct the line between sections 26 & 35 40.31 Set q. sec. cor. post in marsh & raise mound 80.62 To the section corner
North	Between sections 26 & 27 5.00 Leave the grove & enter marsh N & W 15.00 To Kaukakee cr. S. W, set post on the Left bank - no bearings raised mound 26.00 Over River by trigonometry & set post on Right bank & raise a mound 40.00 Set q. sec. cor. post in small bushes, a G. Oak 3 in. dia, bear North $\frac{1}{2}$ W. dist & a Do. 4 " " " " S $\frac{1}{4}$ W 33 " " 57.00 Set post & raise mound for cor. 80.00 set post cor. to sec. 22, 23, 26 & 27, Land all marsh & B. rate -
East	On Random between sections 23 & 26 Marsh & Kaukakee River impassible 20.00 To Right bank of River set post in deep water. raised <u>no</u> mound!
West	Correct the line between sec. 23 & 24 40.00 To Left bank of Kaukakee set post, in deep water, no mound. & $\frac{1}{4}$ sec. cor. Land on both sides mostly under water. (whole length of this line is not given)
North	Between sections 22 & 23, 40.00 Set the q. sec. cor. post in water no mound nor bearings

237

T. 35 N. R. 2 W. 2nd, Mer. Ind. a

C. L.
80.00 Set a post cor. to sec. 14, 15, 23 & 23,
I raised a small mound in water,
Land marsh, under water & third
rate willow bushes & short grass,
Oct. 19th, 1824 —

East On Random between sec. 14 & 23
73.55 To the Rankakee river cor. S. W.,
80.55 To the E. line of sec. 8 1/2 mi. N. of post,
Land all marsh mostly deep water
& third rate, —

West Correct the line between sec. 14 & 23
23.50 To Rankakee River set post, in deep
water & no mound
40.24 1/2 Set the gr. sec. cor. post in water
& raise a small mound
80.55 To the section corner,

North Between sections 14 & 15
40.00 Set the gr. sec. cor. post in water
& raise a small mound
80.00 Set a post cor. to sec. 10, 11, 14 & 15
& when raise as mound —
Land all marsh & third rate

East On Random between sec. 11 & 14
80.60 To the E. line of sec. 11 1/2 mi. N. of post,
Land marsh under water 3rd rate

West Correct the line between sec. 11 & 14
40.30 Set the 2nd sec. cor. post from which
no bearings. & Raise no mound,
80.60 To the section corner,

T. 35 N. R. 2 W. 2nd Mer. Ind. 9

C. L.
 North Between sections 10 & 11
 35.14 Leave marsh & enter timber on. N. E. & S. W.
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 20 in. dia. bears N 65 $\frac{1}{2}$ W 11 lks. dist.
 & a Do. 20 " " " S 41 E 16 " "
 43.61 To a G. Oak 20 " " in the line,
 55.06 " " Do. 18 " " " " "
 80.00 Set a post cor. to sec. 2, 3, 10 & 11 from wh.
 a Hickory 15 in. dia. bears N 27 E 125 lks.
 & a G. Oak 22 " " " N 14 W 136 "
 Land it is marsh under water N $\frac{1}{2}$
 dry & gently rolling thin soil sandy
 & third rate. G. Oak, W. Oak & Hickory
 & but little undergrowth

East On Random between sec. 20 & 11
 36.50 Leave timber & enter marsh N E & S W
 80.38 To the E. line of sec. 7 lks. et. of path.
 Land W $\frac{1}{2}$ mostly dry gently rolling
 sandy soil third rate. E $\frac{1}{2}$ all marsh
 & third rate & —

West Correct the line between sec. 20 & 11
 40.19 Set the gr. sec. cor. post from wh.
 a G. Oak 18 in. dia. bears N 44 E W 350 lks.
 & a Do. 22 " " " N 55 W — "
 65.09 To a W. Oak 24 " " in the line
 69.27 " " Hickory 14 " " " " "
 80.38 " the sections corner,

North Between sections 2 & 3,
 9.98 To a Hickory 8 in. dia. in the line,
 18.59 To a B. Oak 10 " " " " "
 24.82 " " Hickory 16 " " " " "

T 35 N. R. 2 W. 2nd Mer, Ind^a,

6. L,	
39.30	To a B. Oak 6 in. dia. in the line,
40.00	Set the gr. sur. cor. post from which a B. Oak 5 in. dia. bears N 74 $\frac{1}{2}$ ° W 25 $\frac{1}{2}$ ths,
	& a Do. 5 " " " " N 74 $\frac{1}{2}$ ° 27 " dist,
53.42	To a B. Oak 9 " " in the line,
71.62	To a Hickory 10 in. dia. in the line
76.20	To the N. Boundary of Township 10 ths, W. of post. Set post cor. to sec. 28 & 3, a Hickory 12 in. dia. bears S 31 $\frac{1}{2}$ ° E 115 $\frac{1}{2}$ ths, & a W. Oak 20 " " " " S 47° W 20 "
	Land gently rolling sandy soil good s ^u rate. B. Oak Hickory W & Y oak Shut little und. growth, Oct 22 nd

North	Between sections 33 & 34
15.00	To Hankaker river en, S. W set post, on Left bank, in deep water
27.00	Over Hankaker river set post in deep water on Right bank,
40.00	Set the gr. sur. cor. post & raise mound
80.00	Set post cor. to sec. 27, 28, 33 & 34 & Raised a mound. Land marshy & third rate.

East	On Randow between sec. 27 & 34
58.00	To Hankaker River
63.00	Over the " Do,
70.00	To Groves of timber
80.36	To the E. line of sec. 5 ths. S. of post, Land marshy & third rate & the

West	Correct the line between sec. 27 & 34
14.00	Set post in water on Left bank of Hankaker river. no mound

T. 35 N. R. 2 W. 2nd, New. Ind. 4

6. 21	
32.36	Over. to the Right bank & set post from which a G. Oak 24 in. dia. bears N 10 E 73 th. dist., & a Do. 20 " " " S 25 E 12 " "
40.18	Set the gr. sec. cor. post from which a R. Oak 20 in. dia. bears N 12 W 68 th. dist., & a G. Oak 20 " " " S 74 E 93 " "
80.36	To the section corner,
North	Between sections 27 & 28,
40.50	Set the gr. sec. cor. post, & leave mark, a Red Oak 8 in. dia. bears N 37 1/2 W 58 th. dist., & a Do. 15 " " " N 89 1/2 E 118 " "
80.00	Set a post cor. to sec. 21. 22. 27 & 28, - a W. Oak 18 in. dia. bears N 75 E 11 th. dist., & a Do. 8 " " " S 69 W 15 " " Land 1/2 mark & third rate N 1/2 dry level sandy soil & third rate & the timber is R. O. & W. Oak Hickory & Nut. 2th. Red root &c.
East	On Random between sections 22 & 27
45.00	Leave the timber & enter mark N, E, S, W,
80.40	To the E. line of sec. 5 th. S. of post, Land W 1/2 in timber dry 6 1/2 in mark & 3 rd rate & the timber on W. G. Oak W. Oak Hickory Red. Oak & Nut. 2th. red root, &c.
Nut	Correct the line between sec. 22 & 27
40.20	Set the gr. sec. cor. post from which a Red Oak 18 in. dia. bears N 32 E 88 th., & a Do. 15 " " " S 35 E 166 "
80.40	To the section corner,
North	Between sections 21 & 22
3.14	To a Red Oak 14 in. dia. in the line,

341

T. 35 N. R. 2 W. 2nd, Mon. Ind^a

61.50 40.00	Set the gr. sec. cor. post from which a Red Oak 12 in. dia. bears $N 63 \frac{1}{4}^{\circ} W 44$ ft. 6 in., & a W. Oak 18 " " " " $N 1^{\circ} E 13$ 12 "
80.00	Set a post cor. to sec. 15 & 32 from wh. a G. Oak 18 in. dia. bears $N 61 \frac{1}{2}^{\circ} W 20$ ft. 6 in., & a Do. 20 " " " " $S 79^{\circ} E 13$ " "
	Land level dry thin sandy soil thin rated & the timber is G. Oak W. Oak Red Oak Hickory & scattering mud, etc. of Whortleberry & Red root,
East 20.00 80.34	On Random between sections 15 & 32 Leave the timber & enter marsh N. E. W. N., To the E. line of sec. 4 th. S. of post Land 20 ch. W. dry all 3 rd rated G. Oak W. Oak, Hickory, & the mud etc., whortleberry & Red Root on the W. part,
West 40.17 62.11 69.14 80.34	Correct the line between sec. 15 & 32 Set the gr. sec. cor. post in marsh & Raised a mound, To a W. Oak 12 in. dia. in the line " " W. Oak 10 " " " " " " the sections corner, (Oct. 23 rd 1834)
North 8.25 10.48 37.62 40.00 72.36 80.00	Between sections 15 & 16 To a G. Oak 20 in. dia. in the line, To a G. Oak 22 " " " " " " " Do. 20 " " " " " Set the gr. sec. cor. post from which a W. Oak 20 in. dia. bears $N 25^{\circ} W 48$ ft. 6 in., & a G. Oak 22 " " " " $S 57^{\circ} E 50$ " " To a Hickory 6 " " in the line Set a post cor. to sec. 9, 10, 15 & 16 a G. Oak 22 in. dia. bears $N 22 \frac{1}{2}^{\circ} W 60$ ft. 6 in.,

T. 35 N. R. 2 W. 2nd Mer. Ind.^a

6. L. a B. Oak 9 in. dia. bears S 76 E 77 1/2 m. dia.
Land level dry thin sandy soil 3rd rate
Y. Oak, W. Oak, Hickory & the mud & the red root,

East On Random between sections 10 & 15
62.00 Leave the timber & Enter a marsh N. E. & 2 W.
80.42 To the E. line of sec. 20 m. S. of post.
Land mostly dry & 3rd rate & the timber is
Y. Oak, W. Oak, Hickory & the mud & the is
wholly lumpy & Red root &c.

West Correct the line between sec. 10 & 15
40.21 Set the gr. sec. cor. post from which
a W. Oak 24 in. dia. bears S 59 W 70 1/2 m. dia.,
& a Do. 20 " " " N 79 W 83 " "
43.40 To a W. Oak 18 " " in the line,
51.70 " a W. Oak 20 " " " " "
63.93 " a Y. Oak 18 " " " " "
80.42 " the section corner,

North Between sections 9 & 10
7.28 To a Y. Oak 6 in. dia. in the line,
25.88 " " Hickory 16 " " " " "
31.31 " " Do. 20 " " " " "
40.00 Set the gr. sec. cor. post from which
a B. Oak 8 in. dia. bears N 22 E 19 m.,
& a Do. 10 " " " S 23 1/2 E 58 1/2 m.,
52.33 To a B. Oak 5 " " in the line,
79.50 Leave the timber & Enter prairie S. E. & N W.
80.00 Set the post corner to sec. 3, 4, 9 & 10 in mound.
Land level dry good sec. rate & the timber
is B. Oak, Hickory, W. Oak, Y. Oak, but little mud & the

East On Random between sections 3 & 10

T. 35 N. R. 2 W, 2nd Mer. Ind. 2,

243

6 S,
15.75 Leave the field & Enter timber SE & W
80.46 To the E. line of sec. 10 1/2 mi. N. of post,
Land gently rolling & soil rate & the
timber is B. Oak, Hickory, W. Oak & the
under str. is Red sand & c.

West Correct the line between sec. 3 & 10
40.23 Set the gr. sec. cor. post from which
a B. Oak 20 in. dia. bears S 23 W 41 ft.,
& a W. Oak 18 " " N 53 E 20 "
80.46 To the section corner,

North Between sections 3 & 4
10.75 Leave field & Enter prairie cor. E & W
40.00 Set the gr. sec. cor. post & Rain mound
73.25 To the N. boundary of township 19 mi.
west of post & set post cor. to sec. 3 & 4
where raise a mound.
Land dry smooth prairie first rate
scattering bunches of Hoag's grass &c,
October 24th 1834 —

North Between sections 32 & 33,
40.00 Set the gr. sec. cor. post in water
no mound
80.00 Set post corner to sections 28 & 29 32 & 33
where raise a mound
Land mostly willow swamp 3^d rate,

East On Random between sections 28 & 33
59.74 To Vails creek 35 mi. wide cor. S. E.,
bank current not very deep pure water
80.40 To the E. line of sec. at post
Land is mostly willow swamp & 3^d rate

244

T. 35 N. R. 2 W. 2nd, Mon. Ind.^a

6 th L. West	Correct the line between sec. 28 & 33
40.20	Set the gr. sec. cor. post & Run a mound
80.40	To the section corner,
North	Between sections 28 & 29
40.00	Set the gr. sec. cor. post from which a Willow 5 in. dia. bears N 45° W 141 ft., & a Dr. 5 " " " N 22° W 153 "
53.00	Runs creek 25 ft. wide cr. S. & E, brick, current not very deep pure water
60.00	To same creek 30 ft. wide cr. S. W
63.00	" Do, " " " " " S. E,
80.00	Set a post cor. to sec. 20, 21, 28 & 29 a Willow 3 in. dia. bears N 71° E 44 ft. dia., & a Dr. 3 " " " S 52° E 50 " "
	Land all willow marsh not very wet & third rate,
East	On Random between sections 21 & 28
2.00	Leave the marsh & Enter timber N, & S,
80.20	To the E. line of sec. 6 ft. N. of post Land is mostly level dry & sandy & the soil is 3 ^d rate, G. Oak & W. Oak & the timber, hard, etc., red root whortleberry, Hickory &c,
West	Correct the line between sec. 21 & 28
2.33	To a G. Oak 28 in. dia. in the line,
20.22	" " G. Oak 18 " " " " "
40.14	Set the gr. sec. cor. post from which a G. Oak 20 in. dia. bears N 89° 3/4 E 448 ft., & a W. Oak 10 " " " S 89° W 959 "
52.75	To a G. Oak 20 " " in the line
71.93	" " G. Oak 18 " " " " "
80.26	To the section corner,

T. 35 N. R. 3 W. 3rd, Allen, Ind.

Co. B,

North Between sections 20 & 21

- 7.00 Leave mark & enter timber on. SE & NW
 11.32 To a W. Oak 20 in. dia. in the line,
 19.50 Twelve artificial mounds. 8 E of line
 & 4 west, from 5 to 12 ft. in height &
 about 50 lbs. from each other E & W,
 26.50 To Vails creek 25 lbs. wide on. N. bank
 35.48 To a G. Oak 22 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 10 in. dia. bears S 87 W 34 lbs,
 & a Hickory 12 " " " S 88 E 60 "
 63.48 To a W. Oak 10 " " in the line,
 74.43 " Vails creek 25 lbs. wide on. S E,
 80.00 Set a post cor. to sec. 16, 19, 20, & 21
 & a G. Oak 7 in. dia. bears S 72 E 81 lbs. dia,
 & No. 20 " " " S 85 W 42 " "
 Land dry rolling & third rate & the timber
 is W. & G. Oak Hickory &c. —

East On Random between sections 16 & 21

- 80.37 To the E. line of sec. 11 lbs. S. of post,
 Land rolling dry sandy soil 3rd rate
 & the timber is 3rd rate & the timber is
 G. & W. Oak Hickory. W. S. Red coat &c.

West Correct the line between sec. 16 & 21

- 40.18 1/2 Set the gr. sec. cor. post from which
 a G. Oak 18 in. dia. bears S 52 E 12 lbs,
 & a W. Oak 10 " " " N 16 E 28 "
 48.84 To a G. Oak 20 " " in the line
 80.37 " the sections corner,

North Between sections 16 & 17

- 24.10 To a G. Oak 24 in. dia. in the line,

T. 35 N. R. 2 W. 2nd New, Ind.

C. L.
 33.87 To a Hickory 8 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 15 in. dia. bears S 29 $\frac{1}{2}$ E 20 1/2 M. dist,
 & a B. Oak 12 " " " N 65 W 23 " "
 56.14 To a W. Oak 15 " " in the line,
 64.29 " a B. Oak 20 " " " "
 80.07 Set a post cor. to secs. 8 & 9. 16 & 17 from wh.
 a W. Oak 18 in. dia. bears S 31 $\frac{1}{2}$ W 1 1/4 M. dist,
 & a B. 16 " " " N 30 E 77 " "
 Land is level dry sandy soil & third
 rate. & the timber is B. Oak, W. Oak & Hickory
 & the mud, Lth., is red road &

East On Random between sections 9 & 16
 80.57 To the E. line of sec. at post,
 Land & timber is same as on last mile

West Correct the line between secs. 9 & 16,
 3.32 To a B. Oak 10 in. dia. in the line
 10.48 " a W. Oak 12 " " " "
 40.25 Set the gr. sec. cor. post from which
 a W. Oak 16 in. dia. bears S 36 W 45 1/2 M. dist,
 & a W. Oak 8 " " " S 88 E 40 " "
 68.72 To a Yellow Oak 20 in. dia. in the line
 80.57 To the sections corner, Oct 25th 1834

North Between sections 8 & 9
 3.29 To a B. Oak 24 in. dia. in the line,
 18.17 " a W. Oak 12 " " " "
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears N 61 W 52 1/2 M. dist,
 & a Hickory 12 " " " S 84 E 43 "
 43.58 To a W. Oak 22 " " in the line
 80.07 Set a post cor. to secs. 4, 5, 8 & 9 -

T. 35 N. R. 2 W. 2nd Mer. Ind &

Cr. L,

a W. Oak 9 in. dia. bears S 12 E W 169 ft.,
 & a B. Oak 18 " " S 38 E 194 "
 Land dry sandy soil separate & the
 timber is B. Oak, Hickory, 2 Oak & W. Oak
 & the mud & the is red rock &

East On Random between sec. 4 & 9

71.00 To a small artificial mound

80.00 Enter a field en. NW & E,

80.43 To the E. line of sec. 23 1/2 mi. S. of post
 Land dry gently rolling sandy soil
 separate & the timber is B. Oak & W. Oak,

West Correct the line between sec. 4 & 9

29.04 To a B. Oak 9 in. dia. in the line,

40.21 1/2 Set the gr. sec. cor. post from which
 a B. Oak 9 in. dia. bears S 22 E 49 ft. dia.
 & a B. 3 " " " N 29 W 21 " "

67.60 To a B. Oak 16 " " in the line,

80.43 To the section corner,

North Between sections 4 & 5

5.00 Enter a field en. E & W,

40.00 Set the gr. sec. cor. post from which
 a B. Oak 12 in. dia. bears S 26 W 882 ft.,
 no other in field,

71.13 To the N. boundary of town, at post,
 a B. Oak 9 in. dia. bears N 85 E W 970 ft.,
 & - no other,

Land level dry sandy soil fresh rate
 & scattering B. Oak. Oct 27th 1834,

North Between sections 31 & 32

13.97 To a W. Oak 11 in. dia. in the line,

T. 35 N. R. 2 W. 2nd Mer. Ind.

6. L.
 23.67 To a W. Oak 24 in. dia. in the line,
 40.00 set the gr. sec. cor. post from which
 a W. Oak 12 in. dia. bears S 60 $\frac{1}{2}$ E 29 $\frac{1}{2}$ M.,
 & a G. Oak 22 " " " S 50 W 40 " dia.,
 45.00 Leave grove & enter marsh S. E. & S. W.,
 80.00 set a post cor. to sec. 29, 30, 31 & 32
 a G. Oak 9 in. dia. bears N 69 W 73 $\frac{1}{2}$ M. dia.,
 & a Do. 18 " " " N 87 E 67 $\frac{1}{4}$ " "
 Land S $\frac{1}{2}$ in grove dry & third rate
 & the timber is W. Oak & G. Oak & but little
 mud, 2th. N $\frac{1}{2}$ is marsh & 3rd rate &
 the timber is W. Oak, G. Oak & but
 little mud, 2th. N $\frac{1}{2}$ is marsh & 3rd rate

East On Random between sec. 29 & 32
 79.41 To the E. line of sec. 5 M. S. of post
 Land marsh deep water & third rate

West Correct the line between sec. 29 & 32
 39.70 $\frac{1}{2}$ set the gr. sec. cor. post in deep water
 no mound nor bearings
 79.41 To the sections corner.

West On Random between sec. 30 & 31
 82.85 To the W. boundy at post,
 Land all marsh & third rate.

East Correct the line between sec. 30 & 31
 cor. in water no bearing nor mound
 42.85 set the gr. sec. cor. post in marsh
 & water no mound nor bearings
 82.85 To the sections corner,

North Between sections 29 & 30,

T. 35 N. R. 2 W. 2nd. Mev, Ind.

6.26
 60.00 Set the gr. sur. cor. post from which
 in deep water no bearings are made
 79.00 Leave mark & enter timber cor. S. E. & N. W.
 80.00 Set a post cor. to sec. 19, 20, 29 & 30, from which
 a G. Oak 20 in. dia., bears South 42th N. dist.
 & a W. Oak 18 " " " N 33th W 54 " "
 Land is all marsh & 3rd rate -

East On Random between sections 20 & 29
 25.00 Leave timber & enter a marsh N. E. & S. W.
 73.17 To Vails creek 35th N. wide cor. South
 79.59 To the E. line of sec. 7th N. at post
 Land 25th chs, with dry W & 3 oak & the
 Remainder is marsh & 3rd rate.

West Correct the line between sec. 20 & 29
 39.79¹/₂ Set the gr. sur. cor. post in marsh
 no mound & no bearings
 79.59 To the sections corner,

West On Random between sections 19 & 30
 2.00 Leave timber & enter a marsh N. W. & S. E.
 85.75 To the W. boundary 13th N. at post,
 Land mainly 3rd rate & the -

East Correct the line between sec. 19 & 30
 a W. Oak 12 in. dia. bears S 80³/₄ W 48th N.
 & a Do. 10 " " " S 72³/₄ W 50th N.
 45.75 Set the gr. sur. cor. post in water no mound
 85.75 To the sections corner,

North Between sections 19 & 20
 11.11 To a G. Oak 20 in. dia. in the line,
 33.50 Leave the timber & enter marsh N. E. & S. W.

T. 35 N. R. 2 W. 2nd Mer. Ind.^a

C. L. 40.00	Set the gr. sec. cor. post in marsh & water no beaver nor mound,
80.00	Set post in deep water cor. sec. 17, 18, 19 & 20 Land mostly marsh & 3 ^d rate, Oct. 26, 1834
East 51.00 74.23	On Random between sections 17 & 20 Leave the marsh & enter timber NW 1/4 To Raily creek 25 chs. wide on S. E. bank current & deep
79.57	To the E. line of sec. 20 chs. S. of post Land rolling thin sandy soil 3 ^d rate
West 39.78 1/2 79.57	Correct the line between sec. 17 & 20 Set the gr. sec. cor. post from which a S. Oak 18 in. dia. bears S 29 1/2 W 53 chs. & a W. Oak 24 " " " N 44 1/2 E 80 " " " " " " " " " " " " To the sections - corner,
West 25.00 89.88	On Random between sections 18 & 19 Leave marsh & enter timber NE 1/4 NW To the W. boundary, 4 chs. S. of post, Land 25 chs. E. marsh River, dry & all third rate & the timber is W & 1/2 oak & the under str. is the the heavy & Red rock & c.
East 36.88 49.88 89.88	Correct the line between sec. 18 & 19 a W. Oak 16 in. dia. bears S 71 E 10 1/2 chs. " " " " " " & a Do. 16 " To a W. Oak 20 " " " in the line, Set the gr. sec. cor. post from which a S. Oak 22 in. dia. bears S 32 E 160 chs. " " " " " " " " " " " " & a Do. 24 " To the sections corner,

6. 50
North Between sections 17 & 18,
10. 00 Leave the mark & enter timber NW,
40. 00 Set the gr. sec. cor. post from which
a G. Oak 14 in. dia. bears S 82° E 16 M.,
+ a B. Oak 12 " " " N 34° E 24 "
43. 52 To a G. Oak 28 " " in the line,
59. 11 " " B. Oak 8 " " " " "
80. 00 Set a post cor. to sec. 7, 8, 17 & 18,
a B. Oak 7 in. dia. bears N 16° E 16 M.,
+ a D. 5 " " " S 53° W 24 "
Land is mostly 1st is rolling thin sandy
soil & third rate & the 1st is level sandy
soil & sec. rate. & the timber is B, G, W,
Oak & Hickory & the mud, 5th is red rock,
Oct 29th, 1834 —

East — On Random between sec. 8 & 17,
41. 81 To Vails creek 30 M., wide cor. S. E. shallow & thick,
79. 48 To the E. line of sec. 26 M. N. of post
Land rolling thin sandy soil 3rd rate
& the timber is G. W. Oak & Hickory &c. & the
undergrowth is red rock

West — Correct the line between sec. 8 & 17
17. 72 To a G. Oak 14 in. dia. in the line,
39. 74 Set the gr. sec. cor. post from which
a W. Oak 9 in. dia. bears N 86° W 72 M. dia.,
+ a W. Oak 7 " " " N 10° W 107 " "
44. 69 To a Hickory 9 in. dia. in the line,
63. 24 " " G. Oak 22 " " " " "
79. 48 " the sections corner,

West — On Random between sections 7 & 18
92. 72 To the Range line W. boundary 44 M. N.

T. 35 N. R. 2 W. 2nd Mer. Ind.

Co. L. N. of post, Land gently rolling thru
sandy soil, third rate G. Oak. W Oak Hickory
& the mud. etc., is whortleberry & Red root,

East Correct the line between sections 7 & 8,
a G. Oak 12 in. dia. bears N 35 W 45 1/2 th. dist,
& an Aspen 6 " " " N 60 W 108 " "
40.05 To a W. Oak 12 " " in the line,
52.78 Set the gr. sec. cor. post from which
a W. Oak 10 in. dia. bears N 3 1/2 W 8 1/2 th. dist,
& a G. Oak 18 " " " S 45 E 10 " "
55.44 To a G. Oak 22 " " in the line
66.00 " " W. Oak 22 " " " " "
67.34 " " Do. 18 " " " " "
92.78 " the section corner,

North Between sections 7 & 8,
37.50 To a G. Oak 12 in. dia. in the line,
40.00 Set the gr. sec. cor. post from which
a G. Oak 18 in. dia. bears N 8 1/2 E 28 1/2 th. dist,
& a Do. 10 " " " S 19 W 44 " "
50.00 To Vails creek 20 th. wide ex. S. E. bank
52.69 To a Red Oak 14 in. dia. in the line,
71.94 " " W. Oak 18 " " " " "
79.25 " " W. Oak 10 " " " " "
80.00 Set a post cor. to sec. 5, 6, 7 & 8 from wh.
a W. Oak 10 in. dia. bears South 2 1/2 th. dist,
& a Do. 17 " " " N 17 1/2 E 78 " "
Land rolling thru sandy soil 3rd rate
& the timber is W. Oak G. Oak B. Oak Red Oak
& the mud. etc., is red root,

East On Random between sec. 5 & 8,
8.40 To Woods creek 15 th. wide ex. S. W bank

T. 35 N. R. 2 W. 2nd Mer. Ind.

6. 51
79.45 To the E. line of sec. 8 th. N. of post,
Land gently rolling sandy soil 2nd rate
& the timber is W. B. Oak Hickory & the mud
is Red root & —
-
- West Correct the line between sections 5 & 8
7.11 To a B. Oak 12 in. dia. beam in the line,
13.41 To a B. Oak 10 " " " "
32.91 " " W. Oak 22 " " in the line
39.77½ Set the gr. sec. cor. post from which a
W. Oak 18 in. dia. beam S 22° E 69 th. dia. &
& a B. Oak 18 " " " N 65° E W 133 " "
60.32 To a W. Oak 12 " " in the line
79.45 " the sections corner,

- West Between sections 6 & 7
45.45 To Vails creek 15 ths. wide on. S. E,
95.58 To the N. boundy. of Township 13 ths.
N. of post. Land gently sandy soil
sec. 2 rate. & the timber is B. Oak W. Oak
B. Oak Hickory. Mud & th. red root & Hazel &

- East Correct the line between sec. 6 & 7
a B. Oak 10 in. dia. beam S 44° E 45 th. dia.
& a Do. 14 " " " " N 57° E 41 " "
11.25 To a B. Oak 10 " " in the line,
31.62 " " B. Oak 12 " " " "
34.61 " " W. Oak 10 " " " "
55.58 Set the gr. sec. cor. post from which
a B. Oak 8 in. dia. beam S 68° E W 190 ths.
& a Do. 5 " " " " S 60° E 74 " "
88.93 To a W. Oak 18 " " in the line,
95.58 " the sections corner,

6.51	North	Between sections 5 & 6,
23.50		To Hood's creek 14 M ^{rs} wide on S.W.
		bank cement deep pure water,
29.31		To a G. Oak 22 in. dia, in the line,
40.00		Set the gr. sec. cor. post from which
		a W. Oak 30 in. dia, bears N 82 E 55 M ^{rs} ,
		& a Oak 6 " " " N 29 E 46 "
42.04		To a G. Oak 20 " " in the line,
44.34		" " G. Oak 18 " " " " "
58.68		" " G. Oak 15 " " " " "
67.82		To the N. boundary of Township 4 M ^{rs} W,
		of post. Set post cor. to sec. 5 & 6,
		a Red Oak 24 in. dia, bears S 71 W 29 M ^{rs} ,
		& a G. Oak 18 " " " N 65 E 75 "
		Land is rolling thin sandy soil, 3 rd rate
		G. Oak, W. Oak & the mud & the whortling
		& Red root. Oct. 28 th 1834. —

Meanders of Pawnee river.

Begin at post in E. boundary - left bank
Down stream, in sec. 13 —

Course C. Sec.	Remarks,
S 38 W 10.00	
S 70 W 23.00	
S 24 W 14.00	
S 62 W 12.00	
S 83 W 21.00	
S 57 W 18.00	To line between sec. 13 & 24
South 28.00	To cor. sec. 13, 14, 23 & 24
N 10 W 20.00	In sec. 23
N 13 W 36.00	
N 48 W 38.16	To line between sec. 23 & 26

T. 35 N. R. 2 W. 2nd New, Ind.

Course Cr. L.	Meanders continued 1
N 37° W 12.00	In sec. 26
N 16° E 14.00	
N 69° W 17.00	
N 82° W 8.00	
N 3° W 17.00	
N 33° W 15.00	
N 83½° W 5.96	To post between sec. 26 & 27,
N 54° W 10.00	In sec. 27
N 46½° W 10.90	To line between sec. 27 & 34
N 17° W 26.00	In sec. 34
N 80° W 15.00	
N 17° W 18.00	
South 6.00	
N 23° W 10.00	
N 72° W 27.00	
N 81½° W 13.43	To post between sec. 33 & 34
N 20° W 10.00	In sec. 33,
N 48½° W 8.60	To the south boundary of town,
West 40.00	Meanders of Kawkahe river cont.,
N 66° W 4.00	Begin at post in E. boundary, Right
N 7° W 3.31	bank. Down stream in sec. 12
N 44° W 42.00	To post between sec. 12 & 13,
N 59½° W 7.00	In sec. 13,
N 72° W 13.50	To post between sec. 13 & 14
N 28° W 18.00	In sec. 14

T. 35 N. R. 3 W. 2nd Mer. Ind.

Course to L,	Meanders continued,
N40°W 12.00	
N17°E 18.26	To line between sec. 14 & 23
N25°W 17.00	In sec. 23,
N35°W 8.00	
N47°W 20.00	
N16°W 23.00	
N12°W 22.33	To line between sec. 23 & 24
N19°W 14.00	In sec. 24,
N62°W 14.00	
N19°W 9.75	To line between sec. 24 & 29
South 25.00	
N62°W 11.00	In sec. 29
N47°W 13.00	
N59°W 11.00	
N30°W 7.34	To line between sec. 29 & 34
N44°W 11.00	
N59°W 15.00	
N47°W 27.00	
N25°W 19.75	To line between sec. 33 & 34
N40°W 15.00	(Oct. 30 th 1834)
N16°W 16.17	To the S. boundary of Township,

General Description

The Northern part of this township contains a small quantity of first & 2nd rate land. The N.W. part is generally dry rolling & thin sandy soil, with a tolerable growth of several kinds of Oak & Hickory timber. The S. & E. parts are mostly the greater

T. 35 N. R. 2 W. 2nd, Mon. Ind.

portions under water. The Kankakee river passes through the S. E. part of the township. It is a deep wide sluggish stream presenting rather the appearance of a lake or large pond more than a river abounding with fish & many kinds of water fowl

I hereby certify that in pursuance of a contract with Joseph T. Williams, Sur., Genl. of the W. States for the states of Ohio Indiana & Terr. of Michigan, dated the 21st day of April 1834 & in strict conformity to the laws of the W. states & the instructions of said Sur. Genl. I have surveyed & subdivided into sections Township 35 N. Range 2 West of 2nd Mon. Indiana: & I do further certify that the foregoing are the true and original field notes of said survey & subdivision. Executed as aforesaid & Certified the 30th Oct. 1834

William Clark, Dep. Sur,
 John Wood & 3
 Wm. Strahan & 3 chainmen,
 John Presler - Marker,

T. 35 N. R. 2 W. 2nd Mer. Ind^a,

I certify that the foregoing transcripts
of field notes of Township 35 North Range
2 West 2nd Meridian state of Indiana, has
been compared with the originals in
this office & found to be correct,
Q. P. Haines
Surv. Genl.

Surveyor General's office,
Cincinnati, March 31st 1842.